

# Stamina™

Tilt Chair and  
Ophthalmic Stand

Unparalleled strength & style.



**Reichert®**  
TECHNOLOGIES



MERCOFRAMES OPTICAL CORP

5555 Nw 74 Ave, Miami, FL 33166  
www.mercoframes.net  
aie@mercoframes.net

**AMETEK®**

The Reichert® **Stamina™ Tilt Chair** meets the needs of the eye care professional who demands the very best in comfort, style, functionality, and durability.

### Stamina™ Tilt Chair Features:

- **Premium quality.** Heavy-duty construction provides long-lasting performance.
- **Effortless maneuverability.** Counterbalanced 45° tilt and 360° rotation enables any staff member to easily position the patient as needed for different procedures and testing. Raise and lower the chair using the foot pedal, controls on the slit lamp arm or the stand control panel.
- **No more fluid leaks.** The industrial strength, Swiss designed linear actuator lift mechanism is quiet, durable and maintenance free, with a lift capacity of 560 lbs.
- **Easy access.** The stainless steel footrest and upholstered arms rotate upward and out of the way for convenient patient ingress and egress.
- **Maximum patient comfort.** Deep cushions offer a generous seat width, while premium upholstery remains soft to the touch without sacrificing durability.
- **Peace of mind.** 2 year standard warranty on the chair, 5 year warranty on linear actuator lift mechanism.



### Stamina™ Tilt Chair Specifications

---

|                       |                       |               |                                  |
|-----------------------|-----------------------|---------------|----------------------------------|
| Catalog Number        | 15260                 | Rotation      | 360 degrees                      |
| Shipping Weight       | 295 lbs               | Chair Tilt    | 45 degree                        |
| Gross Weight          | 260 lbs               | Lower Limit   | 20.5 in.                         |
| Baseplate             | 22 in. W x 2.25 in. D | Upper Limit   | 30.5 in.                         |
| Lifting Column        | 560 lbs capacity      | Input Voltage | 120 VAC, 60 Hz                   |
| Patient Weight Limit  | 350 lbs capacity      | Chair Fuse    | 8A (8 A 250V),<br>3AB, 3AG, RoHS |
| Lifting Column Stroke | 11.8 in.              |               |                                  |

The Reichert® **Stamina™ Ophthalmic Stand** meets the needs of the eye care professional who demands the very best in functionality, durability, and style.



### Stamina™ Ophthalmic Stand Features:

- **Strong, slim and stylish.** Durable construction outlasts the competition while contemporary styling complements your exam room. The slim profile and small footprint allows easy access to your patients and instruments without compromising floor space.
- **Logical control panel.** Buttons are located in close proximity to each other for easy access to the main on/off power switch, chair elevation and control, lower instrument arm, overhead lamp, projector and accessory instruments.
- **Convenience for accessories.** Three rechargeable instrument wells with charge indicators. Corded (BIO) instrument power and voltage selector. Three additional accessory outlets allow for consolidation of power cables.
- **Functionality at its finest.** The Phoropter® arm comes fully counterbalanced for a Reichert® Ultramatic RX™ Phoropter® and the lower instrument arm is counterbalanced for the Reichert® Xcel® 255 Slit Lamp. The built-in counterbalance adjustment mechanisms can be easily accessed in each arm. The height range on the lower arm accommodates wheelchairs and standard patient access.

### Stamina™ Ophthalmic Stand Specifications

|                            |   |
|----------------------------|---|
| Catalog Number             | 15253                                     |
| Height to top of pole:     | 68.5 in. (174 cm)                         |
| Base:                      | 21.75 in. W x 22 in. D<br>(52 cm x 56 cm) |
| Electrical                 | 120 VAC, 50 - 60 Hz                       |
| Fuses                      | 6 Amps Main                               |
| Corded Instrument Voltages | 6 V, 7.5 V, 12 V, 12 V Fixed              |

#### Refractor Arm

|                           |                   |
|---------------------------|-------------------|
| Range in vertical motion: | 12.5 in. (32 cm)  |
| Length fully extended*:   | 26.25 in. (64 cm) |

\*Including Phoropter® pole mount

Counterbalance weight limit: 20 lbs (9 kg)

#### Lower Arm

|                              |                                       |
|------------------------------|---------------------------------------|
| Range in vertical motion:    | 24 in. to 37.5 in.<br>(61 cm x 95 cm) |
| Length fully extended:       | 35 in. (89 cm)                        |
| Counterbalance weight limit: | 60 lbs (27 kg)                        |

#### Optional Accessories

|       |                                     |
|-------|-------------------------------------|
| 15254 | Counterbalanced Keratometer Arm     |
| 15255 | Non-counterbalanced Keratometer Arm |
| 15258 | Projector Mount                     |
| 15002 | Gas Lift Stool                      |
| 15003 | Gas Lift Stool with Backrest        |



## Stamina™

Tilt Chair and Ophthalmic Stand

Unparalleled strength & style.



**MERCOFrames OPTICAL CORP**

5555 Nw 74 Ave., Miami, FL 33166 305-882-0120  
ale@mercoframes.net www.mercoframes.net

