

argo

www.argoequipment.com

Chair & Stand (Unit)

AOU-7050



Official Distributor



MERCOFRAMES
OPTICAL CORP

+1 305-882-0120

5555 NW 74 Av.
Miami, FL 33166

sales@mercoframes.net
www.mercoframes.com

FEATURES

- Adopted European style in appearance designing, smart, simple and fashionable, ergonomic design, universal function and good performance, easily operation.
- Sliding table accommodates two instruments and provides with 90 degrees' rotation.
- Hand-operated phoropter arm can swing up and down, left and right.
- Reclining Chair can smoothly lift up and down, forward and backward with low noise.
- It can be used with kinds of ophthalmic instruments, and it's the ideal choice for hospitals, clinics and optical shops.



OPTION 1

The interface for slit lamp.



OPTION 2

Don't need the interface.

Better Detail For Better Quality

TECHNICAL SPECIFICATIONS

Unit size	1100x800x2100mm
Table Size	890x405mm
Table rotation range	90°
Table movable range	335mm
Swing arm oscillation angle	+35°
Chair rotation range	60°
Chair up and down range	510-600mm
Chair loading ability	200-250kg
Chair backrest obliquity	160°
Lamp	Halogen (24V, 3W)
Electric Voltage	AC220V/110V 50/60HZ
Weight	200 kg

