

More Info | www.eyenetra.com Buy On-line | store.eyenetra.com

JOIN THE REVOLUTION!

Over 4.2 billion people across the globe require eyeglasses, and more than half are uncorrected due to access and cost barriers.

Traditional diagnostic equipment is cumbersome, expensive, and fails to leverage modern-day computing power. We set out to simplify and demystify the refraction testing process. From the urban jungle to the Amazon, Greenland to Australia, vision loss sees no boundaries. Neither should correcting poor vision.

We have the tools. You have the know-how. Together, we can ensure all people see well.

MAXIMIZE PATIENT CARE IN A FEW CLICKS

1. ORDER THE DEVICES





Full kit includes a portable auto refractor, auto-lensometer, phoropter, and phone.

2. CONNECT THEM TO INSIGHT



Sign up to our on-line EMR, build a practice page, setup your schedule, and start receiving patients.

3. REFRACT ANYWHERE



Register your team and expand your practice with optical shop, workplace, school or at-home testing.




Introducing EyeNetra's newest offering

OnSight[™] VISION CARE THAT YOUR EMPLOYEES WILL LOVE!

With OnSight by EyeNetra, vision care is delivered.

By bringing OnSight into your workplace, employers offer their staff convenience, time savings, improved productivity and employee satisfaction - and a really cool experience. OnSight comes to you with licensed optometrists and opticians, FDA-registered smartphone-powered optometry devices, and HIPAA-compliant cloud-based software.

No travel. No hassle. Really. It's that simple.





SCHEDULE your appointment



TAKE a comprehensive eye exam and get Rx

00	00	00
90		00
	00	Q⁄

CHOOSE glasses and/or contacts

3



CHECKOUT insurance, credit card



RECEIVE glasses and/or contacts in about 2 weeks





NETRA

Refraction Mobilized

A self-test refraction tool powered by a smartphone to collect new eyeglass measurements.

Using a series of simple game-like interactions in a Virtual Reality headset, NETRA enables anyone anywhere to collect their own refractive measurements. It's quick and easy to use in an office or in the field.

FEATURES AND BENEFITS

- 🖂 🛛 EASY TO USE EASY TO TRAIN
- PORTABLE NO POWER REQUIRED
- CONNECTED NO MORE TRANSCRIBING
- RUGGED NO CALIBRATION NEEDED, ZERO MAINTENANCE
- AS ACCURATE AS AUTOREFRACTORS COSTING OVER \$25,000
- COMPLETE ACCOMMODATION CONTROL, FOGGING IS PERFORMED BY THE DEVICE
- 19 PEER-REVIEWED SCIENTIFIC AND CLINICAL PAPERS PUBLISHED, OVER 50,000 EYES TESTED

EXACTLY WHAT INFORMATION DOES NETRA TELL ME?

NETRA generates a recommended refraction for eyeglasses, correcting for nearsightedness, farsightedness, and astigmatism. More specifically, NETRA outputs the sphere, cylinder, and axis as well as the distance between eyes (PD). NETRA does not measure higher-order aberrations or quantify retinal conditions.

SELF-TEST **REFRACTION TOOL POWERED BY A** SMARTPHONE.






SAMSUNG **GALAXY S4**

FIND, ALIGN AND CONFIRM

Repeating just three easy movements you are able to make a full test.




¹Turn the Brightness knob to locate the red and green umbrellas.





(Ľ Will

² Turn the Aligment knob to make the two umbrella stems.



³ Press the Confirm button when complete




INSTRUCTIONAL



TECHNICAL SPECIFICATIONS

TECHNOLOGY	NETRA ^(Pat. Issued)
ACCOMMODATION CONTROL	Fogging ^(Pat, Pending)
LIGHT SOURCE	Smartphone (Samsung S4) Display (No Lasers)
MEASURING WAVELENGTHS	~550nm and ~650nm Simultaneously
SPHERE RANGE	-12 to +5.5D, 0.25D increment
CYLINDRICAL RANGE	0 to -7D, 0.25D increment
AXIAL RANGE	0 to 180, 1 degree increment
INTERPUPILLARY DISTANCE RANGE	52 to 72mm, 0.5mm increment
DEVICE DIMENSIONS	8.5cm x 20cm x 20cm (436g)
INTENDED PATIENT POPULATION	13 to 65 years old
EXTERNAL PROCESSING UNIT	Samsung S4
DILATION REQUIRED	No
CYCLOPLEGIC REQUIREMENTS	None
CALIBRATION REQUIREMENTS	None
OFFICE ILLUMINATION REQUIREMENTS	None (Optically Sealed)
SPECIALIZED FURNITURE REQUIREMENTS	None (Handheld)
FDA STATUS	NETRA (v1.01) is a Class 1 device exempt from premarket notification (510(k)
OPERATION	Temperature: 15°C to 40°C Relative humidity: 95% non-condensing
STORAGE/TRANSPORT	Temperature: -20°C to 90°C Relative humidity: 95% non-condensing



HERE'S AN IDEA

Looking for ways to serve your high-end, repeat customers? Offer them a relaxed environment within your existing store. Using state-of-the-art EyeNetra technology, provide them with a personalized experience.





NETROMETER

Lensometry Redefined

The handheld smartphone-based Netrometer captures the refraction of single vision, progressive and bifocal lenses in seconds. With the precision of 0.08D, the Netrometer is as accurate as top-tier lens meters. No alignment issues, tilting or mishandling inaccuracies. Just open the app, place it into the device, and take measurements.

FEATURES AND BENEFITS

BK	EXTREMELY SIMPLE TO USE
ŒK	PORTABLE AND LIGHTWEIGHT
ŒK	SINGLE VISION, PROGRESSIVES AND BIFOCAL
[BH	AFFORDABLE ENOUGH TO PURCHASE SEVERAL
	RETAIL THEATER- DON'T LEAVE

FAST! KNOW THE CUSTOMER'SGLASSES IN A FEW SECONDS

CUSTOMERS FOR A MOMENT

EXACTLY WHAT INFORMATION DOES NETROMETER TELL ME?

NETROMETER evaluates the power of customers' existing eyewear - Sphere, Cylinder, Axis, and Add Power (for progressive lenses). This information can be wirelessly transmitted to a printer or electronic medical records.

LENSOMETRY DOESN'T HAVE TO BE CUMBERSOME.



NETROMETER






INSERT, FIND AND READ

Adjust the lens until the dot sits inside the indicated circle. Gently squeeze the trigger to hold the lens in place, and tap the screen to take a reading. Repeat for the other lens. it's really that fast.



INSTRUCTIONAL VIDEO



TECHNICAL SPECIFICATIONS

TECHNOLOGY	NEFLECTOMETRY (Pat. Pending)
CAMERA	Smartphone Back-facing Camera
LIGHT SOURCE	Smartphone (Samsung S4) Flash LED
MEASURING WAVELENGTHS	~400nm to ~750nm ^(Broadband)
SPHERE RANGE	-13 to +7.0D, 0.25D increment
CYLINDRICAL RANGE	0 to -7D, 0.25D increment
AXIAL RANGE	0° to 180°, 1 degree increment
LENS TYPE	Single Vision and Progressive Lenses
DEVICE DIMENSIONS	7.5cm x 11cm x 21cm (500g)
EXTERNAL PROCESSING UNIT	Samsung S4
MEASUREMENT TIME	3 seconds for Single Vision
SCRATCH, DUST AND COATING	Accepted
CALIBRATION REQUIREMENTS	None
OFFICE ILLUMINATION REQUIREMENTS	None (Optically Sealed)
SPECIALIZED FURNITURE REQUIREMENTS	None (Handheld)
FDA STATUS	Netrometer is a Class 1 device exempt from premarket notification (Sec. 886.1425)
OPERATION	 Temperature: -15°C to 93°C Relative humidity: 95% non-condensing
STORAGE/TRANSPORT	 Temperature: -15°C to 93°C Relative humidity: 95% non-condensing



HERE'S AN IDEA

Set up a service area outfitted with EyeNetra products to spot-check customer prescriptions and eyeglasses. Even if your associates cannot prescribe, they will always be able to double-check prescriptions to guarantee customer satisfaction before ordering glasses.





CYLINDER

MEESE

SPHERE


NETROPTER

Acuity Simplified

Replace your cumbersome lens kit with an elegant, lightweight solution. The Netropter integrates a full-range of SPH, CYL, and AXIS values to refine measurements for distance and reading. Includes a pupillary distance adjustment and lock.


Running monocular and binocular visual acuity tests for distance and reading glasses has never been so simple.

FEATURES AND BENEFITS




CAN I RUN A SUBJECTIVE REFRACTION USING NETROPTER?

Yes. Although the Netropter was designed to simply refine measurements from a reliable starting point, it is possible to perform all the usual procedures of a manifest refraction, including accommodation testing, binocular balance and axial refinements. **VISUAL ACUITY TESTING HAS** NEVER BEEN EASIER.



NETROPTER



CHECK YOUR READINGS

CYLINDER

MASK

-1.25

SPHERE

EVENETRA

AXIS 90 75

Multin

70 105 120

30

15

165 150

135

Dial in the Netra or Netrometer results using the knobs for sphere, cylinder, axis and PD. Use the shutters to occlude each eye as necessary. Adjust the values to verify and refine the results, providing the customer with the most acceptable prescription.



INSTRUCTIONAL VIDEO



TECHNICAL SPECIFICATIONS

TECHNOLOGY	TRIAL LENS STACK (25 LENSES PER EYE)
SPHERE RANGE	-10.75 to +5.0D, 0.25D increment
CYLINDRICAL RANGE	0 to -6D, 0.25D increment
AXIAL RANGE	0° to 180°, 1 degree increment
PUPILLARY DISTANCE RANGE	52 to 72mm, 1mm increment
VISUAL FIELD	~20° Degrees (14mm aperture)
ACUITY MEASUREMENTS	Binocular and Monocular
VISION TEST TYPE	Distance and Readers
DEVICE DIMENSIONS	5.0cm x 7cm x 10cm (less than 500g)
EXTERNAL PROCESSING UNIT	None
SETUP TIME	30 seconds
CALIBRATION REQUIREMENTS	None
POWER REQUIREMENTS	None (Manual Setup of Lenses)
SPECIALIZED FURNITURE REQUIREMENTS	None (Handheld)
FDA STATUS	Class I, exempt from 510(k) pre-market submission requirements
OPERATION	 Temperature: -15°C to 93°C Relative humidity: 95% non-condensing
STORAGE/TRANSPORT	 Temperature: -15°C to 93°C Relative humidity: 95% non-condensing




HERE'S AN IDEA

EyeNetra's interactive experience is ideally suited for use at Optical Fairs. Raise awareness in your community about the benefits of vision care and wellness.



INSIGHT OPTOMETRY EMR MADE EASY


Grow your business with a web presence. Patients fill out their health history form prior to visiting, saving you and them precious time. Log into Insight's dashboard to monitor key success metrics and activity reports over time. With an intuitive interface and unlimited cloudbased storage, Insight facilitates everything from prescription writing and data analytics to digital marketing and online booking for your patients. Designed specifically for you, Insight simply works for your business! Let's uncomplicate things - together.



Scheduling and Intake Forms Payment

Dashboard Analytics

FEATURES & BENEFITS



ONLINE PRACTICE MANAGEMENT

Grow your business by building a web presence. Patients can now fill out their health history form prior to visiting, thus saving precious time for you and them. Log into Insight's dashboard to visualize key success metrics and monitor activity reports over time.



DEVICE INTEGRATION

Insight leverages the inherent connectivity in EyeNetra's product suite. We automatically collect device measurements, associate them with patient profiles, and store full medical records securely in the cloud so you can focus on your practice.



UNLIMITED STORAGE

We include unlimited storage and data backups for added peace of mind. You focus on taking care of your patients and we'll handle the software.



CONNECTED HEALTH

With our full workflow, Optometrists and Ophthalmologists can remotely asses data, reference notes, see visual acuity and review medical history to prescribe and send to patients via HIPAA compliant email. Please consult local telemedicine laws.

CHOOSE A PLAN THAT GROWS WITH YOU



Review Measurements

Sync Devices

Export Tools

Access via APIs

Tech. Update

24/7 Support



E-Prescriptions

Web Booking

Payment Gateway

On-line Scheduling

Sync Devices

Export Tools

Access via APIs

Tech. Update

rech. Opuale

24/7 Support



NO HIDDEN FEES : Beyond the poor usability of traditional EMR's, there often lurks unexpected costs such as installation, maintenance fees, upgrades, additional computers, and servers. Insight's cloud-based platform eliminates these burdens.



MOBILE CLINIC KIT

The ultimate solution to take your practice on the road. Designed for you to conduct refractions anywhere, this mobile clinic kit includes the Netra, Netrometer, Netropter, Smartphone, Printer, and Accessories. Packed inside a lightweight and portable semi-rigid case (smaller than your carryon luggage), the kit is designed for ergonomic comfort and long-lasting durability. The kit is shock absorbent and water resistant. Ideal for mission trips and out-of-office testing situations.





ACCESSORIES


EXTRA PHONE

This is a regular Samsung S4 installed and calibrated for Netrometer and Netra applications. This product is offered for customers that purchased bundles and need a second smartphone to take measurements in parallel. It includes the phone, charging adaptor and cable.

ACCESSORIES

THERMAL PRINTER

Pair this portable, wireless printer with your smartphone to print your Netra and Netrometer results anywhere, anytime. The printer has an integrated rechargeable battery that lasts for days. The connection happens automatically via bluetooth. No setup, wires, or headaches.



HERE'S AN IDEA

EyeNetra's product suite is accurate, affordable, portable, and rugged ... ideal for an ECP looking to reach more patients outside of the office.

DO WELL BY DOING GOOD \bigcap



MERCOFRAMES OPTICAL CORP

5555 Nw 74 Ave. Miami. Fl. 33166. www.mercoframes.net sales@mercoframes.net

305-882-0120



